

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	5	((("5956471") or ("6229620")).PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 10:05
L3	4	("5956471").URPN.	USPAT	OR	ON	2005/01/15 10:09
L4	0	("6806976").URPN.	USPAT	OR	ON	2005/01/15 10:13
L5	6	("4843571" "5825988" "5956471" "5970218" "6307640" "6748471").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/15 10:27
L6	1	"20030007172"	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/15 10:28
L7	1	"20020062453"	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/15 10:28
L9	9	("5970218").URPN.	USPAT	OR	ON	2005/01/15 10:53
L10	4	("6307640").URPN.	USPAT	OR	ON	2005/01/15 11:07
L11	1	("6748471").URPN.	USPAT	OR	ON	2005/01/15 11:09
L12	31	("5287194" "5450571" "5559933" "5625757" "5727135" "5727156" "5799206" "5802260" "5881213" "5898823" "5978560" "5982994" "5995723" "6003069" "6006281" "6012083" "6023684" "6043898" "6043909" "6094679" "6125372" "6240456" "6298445" "6307640" "6327045" "6334142" "6337745" "6351317" "6378070" "6466328" "6615234").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/15 11:09
L13	10	("6378070").URPN.	USPAT	OR	ON	2005/01/15 11:31
L14	10	("6378070").URPN.	USPAT	OR	ON	2005/01/15 11:38
L15	3	("5596718" "6163383" "6181436").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/15 11:43
L16	145	(secur\$4 or private) near print\$3 same (client or user or terminal) same (password or authoriz\$5 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 12:17
L17	69	16.and ((@ad < "20000407") or (@prad < "20000407") or (@rlad < "20000407"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 12:33
L18	5	("4881264" "5196840" "5633932" "5699493" "6378070").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/15 12:07
L19	1	(secur\$4 or private) near print\$3 same (client or user or terminal) same (password or authoriz\$5 or authenticat\$3) same (notify\$3 or notification or communicat\$3 or inform\$3) with (reciever or recipient or retriever)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 12:20
L20	2	(secur\$4 or private) near print\$3 same (password or authoriz\$5 or authenticat\$3) same (notify\$3 or notification or communicat\$3 or inform\$3) with (reciever or recipient or retriever)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 12:21

L21	5	(secur\$4 or private) near print\$3 same (notify\$3 or notification or communicat\$3 or inform\$3) with (reciever or recipient or retriever)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 12:32
L22	0	("6542261").URPN	USPAT	OR	ON	2005/01/15 12:26
L23	17	("5159630" "5398283" "5450493" "5491563" "5583941" "5587809" "5633932" "5671285" "5692048" "5751809" "5914788" "6021186" "6065120" "6073118" "6195177" "6314521" "6421781").PN	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/15 12:26
L24	37	(secur\$4 or private) with print\$3 same (notify\$3 or notification or communicat\$3 or inform\$3) with (reciever or recipient or retriever)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 12:36
L25	32	24 not 21	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 12:33
L26	11	25 and (((@ad < "20000407") or (@prad < "20000407") or (@rlad < "20000407"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 12:37
L27	1	(secur\$4 or private) with print\$3 same (notify\$3 or notification or inform\$3) with (reciever or recipient or retriever)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 12:37
L28	28	(secur\$4 or private) same print\$3 same (notify\$3 or notification or inform\$3) with (reciever or recipient or retriever)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 12:40
L29	19	28 and (((@ad < "20000407") or (@prad < "20000407") or (@rlad < "20000407"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 12:37
L30	174	(secur\$4 or private) same print\$3 same (notify\$3 or notification or inform\$3) near2 (reciever or recipient or retriever or client or customer or terminal or process or computer or operator)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 12:40
L31	9	(secur\$4 or private) near2 print\$3 same (notify\$3 or notification or inform\$3) near2 (reciever or recipient or retriever or client or customer or terminal or process or computer or operator)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 12:43
L32	14	(secur\$4 or private) near2 print\$3 same (notif\$4 or notification or inform\$3) near2 (reciever or recipient or retriever or client or customer or terminal or process or computer or operator)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 12:43
L35	12	("5287204" "5689755" "5781711" "5970218" "6065036" "6487611" "6507716" "6621590" "6659662" "6687018" "6687905" "6694345").PN	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/15 12:45
L36	9	("5970218").URPN	USPAT	OR	ON	2005/01/15 12:48

L37	11	(US-5956471-\$ or US-6806976-\$ or US-6748471-\$ or US-6307640-\$ or US-5970218-\$ or US-6378070-\$ or US-6762853-\$ or US-6711677-\$ or US-5633932-\$ or US-6542261-\$ or US-6771386-\$).did.	USPAT	OR	ON	2005/01/15 12:51
L38	4	37 and (notif\$4 or notification or inform\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 12:53
L39	26	"4843571"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 12:53
L40	2	("4843571").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 12:53
L41	20	("4843571").URPN.	USPAT	OR	ON	2005/01/15 13:00
L42	4	("5956471").URPN.	USPAT	OR	ON	2005/01/15 13:07
L44	12	("4591921" "5083286" "5222157" "5353124" "5448375" "5499108" "5521974" "5579392" "5781901" "5822083" "5896204" "5956471").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/15 13:10
L45	11	(US-5956471-\$ or US-6806976-\$ or US-6748471-\$ or US-6307640-\$ or US-5970218-\$ or US-6378070-\$ or US-6762853-\$ or US-6711677-\$ or US-5633932-\$ or US-6542261-\$ or US-6771386-\$).did.	USPAT	OR	ON	2005/01/15 13:41
L46	6	45 and (notif\$4 or notification or inform\$3 or send\$3) with (receiv\$3 or recipient or receipt)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 13:42
L47	0	("6542261").URPN.	USPAT	OR	ON	2005/01/15 13:46
L48	17	("5159630" "5398283" "5450493" "5491563" "5583941" "5587809" "5633932" "5671285" "5692048" "5751809" "5914788" "6021186" "6065120" "6073118" "6195177" "6314521" "6421781").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/15 13:55
L49	756	(secur\$4 or privat\$3) with remot\$3 with (print\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 14:01
L50	144	(secur\$4 or privat\$3) near2 (print\$3) with remot\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 13:56
L51	90	50 and (((@ad < "20000407") or (@prad < "20000407") or (@rlad < "20000407"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 14:30
L52	88	51 not 45	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 13:58

L53	11	(secur\$4 or privat\$3) with remot\$3 with (print\$3) same (notif\$4 or notification or inform\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 16:00
L54	34	remot\$3 with (print\$3) same (notif\$4 or notification or inform\$3) near2 (receiv\$3 or recipient)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 14:09
L55	2	45 and (notif\$4 or notification or inform\$3) near2 (receiv\$3 or recipient)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 16:28
L56	2	45 and (notif\$4 or notification or inform\$3 or notice) near2 (receiv\$3 or recipient)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 14:09
L57	40	remot\$3 with (print\$3) same (notif\$4 or notification or inform\$3 or notice) near2 (receiv\$3 or recipient)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 14:10
L58	270	remot\$3 with (print\$3) same (notif\$4 or notification or inform\$3 or notice or message) near2 (receiv\$3 or recipient)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 14:10
L59	5	remot\$3 with (print\$3) near (privat\$3 or secur\$4) same (notif\$4 or notification or inform\$3 or notice or message or event or signal) near2 (receiv\$3 or recipient)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 14:29
L60	61	(print\$3) near (privat\$3 or secur\$4) same (notif\$4 or notification or inform\$3 or notice or message or event or signal) near2 (receiv\$3 or recipient)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 14:11
L61	24	60 and ((@ad < "20000407") or (@prad < "20000407") or (@rlad < "20000407"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 14:11
L62	6	("4843571" "5825988" "5956471" "5970218" "6307640" "6748471").PN	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/15 14:13
L63	1	("6748471").URPN.	USPAT	OR	ON	2005/01/15 14:13
L64	31	("5287194" "5450571" "5559933" "5625757" "5727135" "5727156" "5799206" "5802260" "5881213" "5898823" "5978560" "5982994" "5995723" "6003069" "6006281" "6012083" "6023684" "6043898" "6043909" "6094679" "6125372" "6240456" "6298445" "6307640" "6327045" "6334142" "6337745" "6351317" "6378070" "6466328" "6615234").PN	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/15 14:13
L65	11	64 and (notif\$6)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/15 14:14

L67	40	remot\$3 with (print\$3) same (notif\$4 or notification or inform\$3 or notice) near2 (receiv\$3 or recipient)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 14:30
L68	19	67 and (((@ad < "20000407") or (@prad < "20000407") or (@riad < "20000407"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 16:27
L69	4	("6307640").URPN.	USPAT	OR	ON	2005/01/15 15:30
L70	17	("5159630" "5398283" "5450493" "5491563" "5583941" "5587809" "5633932" "5671285" "5692048" "5751809" "5914788" "6021186" "6065120" "6073118" "6195177" "6314521" "6421781").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/15 15:50
L71	473	(secur\$4 or privat\$3 or secret\$3 or confident\$6) near3 (print\$3) same remot\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 16:01
L72	26	(secur\$4 or privat\$3 or secret\$3 or confident\$6) near3 (print\$3) same remot\$3 near2 device	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 16:07
L73	2	("6748471").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 16:05
L74	20	(secur\$4 or privat\$3 or secret\$3 or confident\$6) near3 (print\$3) same remot\$3 with (authoriz\$6 or authenticat\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 16:10
L75	223	(secur\$4 or privat\$3 or secret\$3 or confident\$6) near (print\$3) same remot\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 16:10
L76	1016	(358/1.14).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 16:27
L77	3626	(358/1.15).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 16:27
L78	4239	76 or 77	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 16:27

L79	2420	78 and (((@ad < "20000407") or (@prad < "20000407") or (@rlad < "20000407"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 16:27
L80	153	79 and (notif\$4 or notification or inform\$3) near2 (receiv\$3 or recipient)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 16:29
S1	2	"20010029516"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/15 10:05
S2	4	((("6115132") or ("6006332"))).PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 14:19